

HEAT FLOW[™]
OUTDOOR HEATERS



Sales Go up and down

Service stays forever




MODEL

FIRE PIT OUTDOOR BONFIRE (LPG)

FEATURES

- G.P. Sheet, Body.
- Body duly powder coated.
- Specially designed SS burner.
- Toughened Glass Frame for wind protection.
- Strong base for LPG cylinder (5 kg.)
- Specialized valve for safety (Auto ignition)
- 50,000 (Approx) BTU (HEAT OUTPUT).
- Compatible with LPG cylinder (5 kg.).
- FLAME FAILURE for safety to cut off gas supply incase flame turns off.
- Auto ignition, Push start.
- High grade safety hose pipe.
- Special Rocks to absorb and emit heat.
- Easy access to the 5 kg. cylinder.
- Push start for ignition.
- Can be dismantled during off season.
- Can be used as a table by putting a cover on the pit area.
- Environment Friendly.
- Smoke Less
- Easy Operation.
- No Sparks.



PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information



OUR CLINET'S :






MODEL - HFS-100

S.S. OUTDOOR LPG HEATER

FEATURES

- Stainless Steel Body, Pipe and Burner assembly.
- Stainless Steel Base and Inner Structure.
- Special Aluminum sheet canopy with reflector polish.
- Flange system assembly for easy handling.
- Special Burner to prevent back fire.
- Hammer start Ignition System.
- LPG Gas consumption 0.75 Kg and above.
- Heat Output 40,000 BTU or above covering radius of 15ft dia.
- Compatible with both domestic & commercial cylinder.
- Auto Ignition Device.
- Stainless Steel Body to give better appearance & maintenance free.
- Hose Pipe with extra strength to prevent leakage.
- Flame Failure Device / Thermocouple. (Optional).
- Special / Customised PVD colours available (extra cost)




PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information

MODEL - HFG-001

LPG GLASS HEATER



FEATURES

- Stainless Steel Body, Drum Grill and Burner assembly.
- Stainless Steel Base and Inner Structure.
- Special Aluminum sheet canopy with reflector polish.
- Special Burner to prevent back fire.
- Borosilicate Glass for safety & Heat output.
- Hammer start Ignition System.
- LPG Gas consumption 0.75 Kg and above.
- Heat Output 40,000 BTU or above covering radius of 15ft dia.
- Compatible with both domestic & commercial cylinder.
- For easy handling can be put into three parts.
- Auto Ignition Device.
- Stainless Steel Body to give better appearance & maintenance free.
- Hose Pipe with extra strength to prevent leakage.
- Flame Failure Device / Thermocouple. (Optional).

PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information

OUR CLINET'S :






MODEL - HFGP-220
LPG PYRAMID HEATER



FEATURES

- Stainless Steel Base, Grill and Inner Structure.
- Special Aluminum canopy and Aluminum Chancel with reflector polish.
- Flange system assembly for easy handling.
- Special Burner to prevent back fire.
- Borosilicate Glass for safety & Heat output.
- Hammer start auto Ignition System.
- LPG Gas consumption 0.75 Kg and above.
- Heat Output 40,000 BTU or above covering radius of 15ft dia.
- Compatible with both domestic & commercial cylinder.
- Special Powder Coating & CNC Cutting to give better appearance & maintenance free.
- Hose Pipe with extra strength to prevent leakage.
- Flame Failure Device / Thermocouple. (Optional).



PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information



HRH Group of Hotels

OUR CLINET'S :



CROWNE PLAZA
AN IHG® HOTEL
NEW DELHI ROHINI



pullman
HOTELS AND RESORTS

HEAT FLOW™

OUTDOOR HEATERS




MODEL - HFCR - 200

CANE/RATTAN OUTDOOR LPG HEATER

FEATURES

- M.S. Body, Pipe and Burner assembly.
- M.S. Base and Inner Structure.
- Special Aluminum sheet canopy with reflector polish.
- Flange system assembly for easy handling.
- Special Burner to prevent back fire.
- Hammer start Ignition System.
- Flame failure/thermocouple (optional).
- LPG Gas consumption 0.75 Kg and above.
- Heat Output 40,000 BTU or above covering radius of 15ft dia.
- Compatible with both domestic & commercial cylinder.
- Suraksha hose pipe.
- Special Rattan hand woven finish.
- Customised colours (for 50 nos more)
- Easy opening to keep cylinder.
- Auto Ignition Device.
- M.S. Body with Cane/Rattan weaving to give better appearance & maintenance free.
- Hose Pipe with extra strength to prevent leakage.



PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information

OUR CLINET'S :




JW MARRIOTT



**RAMBAGH PALACE
JAIPUR**

MODEL - EHS-100

**INFRARED PATIO HALOGEN HEATER
ELECTRIC HEATER WITH TABLE
(WITHOUT TABLE OPTIONAL)**



FEATURES

- Sturdy and high quality design.
- Heavy Gauge Stainless Steel Pipe.
- Halogen heating element/lamp : clean odorless, instant heat, safe and convenient.
- Heavy Base design, not easy to incline.
- Table Top in Black lamination
30 INCH DIA Detachable/Adjustable.
- Cable Cord 5.00 Meters.
(ISI - Finolex / Polycab or equivalent)
- Special Aluminum canopy with reflector polish.
- Twin Element 1200W & 1800W each.
- Foldable when closing, safe and save the space.
- TILTING DEVICE when the heater inclines
it switches off automatically.
- For both INDOOR & OUTDOOR use.
- Heat Output - 1200W & 1800W Total 3000W
- 16AMP Socket Required.
- One Year Warranty.
- Product Size (as per drawing)
- Heated area up to 16 square meters/172 Sq. feet.
- With 5 Meters Power Cord with push fit system.
- Electricity consumption-3 units per hour.
- ISI Certified.

PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information

di the designo international[®]

An ISO 9001:2015 Certified Co.

OUTDOOR COOLING & HEATING SYSTEM




MODEL - EHP-104

INFRARED PATIO HALOGEN HEATER

S.S. U SHAPE ELECTRIC HEATER WITH (HEIGHT ADJUSTMENT)

FEATURES

- Sturdy and high quality design.
- Heavy Gauge Stainless Steel Pipe.
- Halogen heating element/lamp : clean odorless, instant heat, safe and convenient.
- Heavy Base design, not easy to incline.
- Cable Cord 7 Meters.
(ISI - Finolex / Polycab or equivalent)
- Special Aluminum canopy with reflector polish.
- Twin Element 1200W & 1800W each.
- Total Heat Output 3000W.
- Foldable when closing the parasol, safe and save the space.
- Height adjustment for better heat.
- TILTING DEVICE when the heater inclines it switches off automatically.
- For both INDOOR & OUTDOOR use.
- Heat Output - 1200W & 1800W Total 3000W
- 16AMP Socket Required.
- One Year Warranty.
- Product Size (as per drawing)
- Heated area up to 16 square meters/172 Sq. feet.
- With 7 Meters Power Cord with push fit system.
- Electricity consumption-3 units per hour.
- ISI Certified.



PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information



MODEL - EHC-101

INFRARED PATIO HALOGEN HEATER

**CEILING MOUNT HANGING
ELECTRIC HEATER**



FEATURES

- Sturdy and high quality design.
- Halogen heating element/lamp : clean odorless, instant heat, safe and convenient.
- Heavy Base design, not easy to incline.
- Cable Cord 5.00 Meters.
(ISI - Finolex / Polycab or equivalent)
- Special Aluminum canopy with reflector polish.
- Twin Element 1200W & 1800W each.
- Chain and Hook for hanging heater.
- For both INDOOR & OUTDOOR use.
- Heat Output - 1200W & 1800W Total 3000W
- 16AMP Socket Required.
- One Year Warranty.
- Product Size (as per drawing)
- Heated area up to 16 square meters/172 Sq. feet.
- With 5 Meters Power Cord with push fit system.
- Electricity consumption-3 units per hour.
- ISI Certified.



PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information



info@designointernational.com



www.designointernational.com



9810278383, 9818462891, 9971164433

MODEL - EHS-100


INFRARED PATIO HALOGEN HEATER

**S.S. ELECTRIC HEATER
(HEIGHT ADJUSTMENT)**



FEATURES

- Sturdy and high quality design.
- Heavy Gauge Stainless Steel Pipe.
- Halogen heating element/lamp : clean odorless, instant heat, safe and convenient.
- Heavy Base design, not easy to incline.
- Cable Cord 5.00 Meters.
(ISI - Finolex / Polycab or equivalent)
- Special Aluminum canopy with reflector polish.
- Twin Element 1200W & 1800W each.
- Total Heat Output 3000W.
- Foldable when closing the parasol, safe and save the space.
- Height adjustment for better heat.
- TILTING DEVICE when the heater inclines it switches off automatically.
- For both INDOOR & OUTDOOR use.
- Heat Output - 1200W & 1800W Total 3000W
- 16AMP Socket Required.
- One Year Warranty.
- Product Size (as per drawing)
- Heated area up to 16 square meters/172 Sq. feet.
- With 5 Meters Power Cord with push fit system.
- Electricity consumption-3 units per hour.
- Height adjustment 1816 mm (Min.) and 2451 mm (Max.)
- ISI Certified.



PACKAGING

- Standard Packing: Corrugated Carton Box
- Wooden Box packing on extra cost.

* Any specification can be changed without any prior information

Works & Experience Center :

Noida Office :

E-60, Sector-6, Noida - 201301 (U.P.)

Regd. Office :

Plot No. 8, 3rd Floor, Block No. 13, Shakti Nagar, Delhi-7